

A

- Absence of HTLV-I Proviral Sequences in Patients with Lymphomatoid Papulosis, *Letter*, Ortiz Romera PL, Vallejo A, Lopez Esteban JL, Garcia Saiz A, Fernandez V, Iglesias Diez L, 817
- Abstracts
- European Society for Dermatological Research, Annual Meeting Oct 4-7, 1997, 401
 - European Society for Dermatological Research, Symposium on Cutaneous Malignant Lymphomas, Sept 26-28, 1997, 483
 - International Workshop on Langerhans Cells, Sept 5-7, 1997, 253
 - Society for Cutaneous Ultrastructure Research, Annual Meeting, April 24-26, 1997, 471
 - Society for Investigative Dermatology, Annual Meeting April 25, 1997, 122
- Acetone rubbing, 84, 175, 783
- Acetyl-CoA carboxylase, 783
- Acne, Rhino mouse model, 370
- Actinic keratoses, 704
- Activator protein 1 (AP1), 501
- Activator protein 2 (AP2), 501
- Adenosine, 597
- Adhesion of Leukocytes to Dermal Endothelial Cells is Induced After Single-Dose, But Reduced After Repeated Doses of UVA, Heckmann M, Pirthauer M, Plewig G, 710
- Adhesion molecules, Ig family, 672
- Alanine to Proline Mutation in the 1A Rod Domain of the Keratin 10 Chain in Epidermolytic Hyperkeratosis, Yang J-M, Yoneda K, Morita E, Imamura S, Nam K, Lee E-S, Steinert PM, 692
- Albinism, type I oculocutaneous (OCA1), 207
- Aldehyde dehydrogenase, fatty (FALDH), 79
- Alk-5 (TGF- β RI), 518
- Alkaline phosphatase, endothelial cell, 597
- Allergic contact dermatitis, 314
- Alopecia
- androgenetic, 296
 - areata, mouse model, 329
 - mouse *bal* mutations, 324
- 5 α -reductase
- androgenetic alopecia, 296
 - genital melanocytes, 513
 - inhibitors, 152
- Altered Permeability and Disordered Cutaneous Immunoregulatory Function in Mice with Acute Barrier Disruption, Nishijima T, Tokura Y, Imokawa G, Seo N, Furukawa F, Takigawa M, 175
- Anchoring fibrils
- abnormalities, 811
 - absence, 384, 390
- Anchoring filament, 356
- Androgen receptors
- hair follicles, 296
 - human genital melanocytes, 513
- Androgens, hamster flank organ growth and, 152
- Another Support for the Location of Epidermal Stem Cells Residing Adjacent to the Tips of Dermal Papillae in the Interfollicular Epidermis, *Letter*, Iizuka H, Ishida-Yamamoto A, 697
- Antagonistic Effects of Interferon- γ and Interleukin-4 on Fibroblast Cultures, Serpier H, Gillery P, Salmon-Ehr V, Garnotel R, Georges N, Kalis B, Maquart F-X, 158
- Anti-fibrinolytic agents, 84
- Anti-NGF antibodies, 757
- Anti-oxidants, vitiligo melanocytes, 310
- Antibody to p53 Recognizes Soluble Keratins in Epidermal Keratinocyte Cultures under Differentiating but not Proliferating Conditions, *Letter*, Weinberg WC, Yuspa SH, 611
- AP1, 501
- AP2, 501
- Apoptosis
- keratinocytes, 163, 276, 722, 757
 - trypsin-treated Rhino mouse, 370

- Aromatase, androgenetic alopecia, 296
- Arthritis, psoriatic, 562
- Ataxia, and erythrokeratoderma, 666
- Athymic mice, grafts of cultured skin substitutes, 289
- Autoantibodies
- bullous pemphigoid antigen 2 (BPAG2; BP180), 573, 679
 - desmoglein 3, 592
 - laminin 5, 557
 - tyrosinase, 69
- Autoantibodies to Hair Follicles in C3H/HeJ Mice With Alopecia Areata-Like Hair Loss, Tobin DJ, Sundberg JP, King LE, Boggess D, Bystry J-C, 329
- Autoantigens
- desmocollin 1, 127
 - paraneoplastic pemphigus, 365
- Autocrine Nerve Growth Factor Protects Human Keratinocytes from Apoptosis Through its High Affinity Receptor (TRK): A Role for BCL-2, Pincelli C, Haake AR, Benassi L, Grassilli E, Magnoni C, Ottani D, Polakowska R, Franceschi C, Giannetti A, 757

B

- B7-1 gene transfer, 728
- B-cell lymphoma, cutaneous, 541
- BALB/C mice, 716
- Balding (*bal*) mutations, 324
- Barrier disruption, 84, 175, 783
- Basal cell carcinoma, collagenase-3 expression, 225
- Basal lamina, *in vitro* skin model, 527
- Basement membrane
- basal keratinocyte adhesion, 74, 200, 356
 - collagen type VII gene mutations, 246
- Bcl-2, 757
- Bioengineering of the Skin: Skin Surface Imaging, Wilhelm KP, Elsner P, Berardesca E, Maibach H, *Book Review*, 819
- Blood vessels, FGFR-1 expression, 108
- BP180 *see* Bullous pemphigoid antigen 2
- Broad-Spectrum Sunscreens Provide Greater Protection against Ultraviolet-Radiation-Induced Suppression of Contact Hypersensitivity to a Recall Antigen in Humans, Damian DL, Halliday GM, Barnetson R StC, 146
- 5-Bromo-2'-deoxyuridine (BrdU), 340
- brown* locus protein, 788
- Bullous dermolysis of newborn, transient (TBDN), 811
- Bullous pemphigoid, 573, 679
- Bullous pemphigoid antigen 2 (BPAG2; BP180)
- autoantibodies, 573, 679
 - in epidermal basement membrane, 200
 - gene mutations, 74, 613
 - in junctional epidermolysis bullosa, 356
- Burn injuries, 108
- Buthionine-L-sulfoxime (BSO), 314

C

- C3H/He mice, 329, 716
- C3H/HeJ mice, 716
- C3H/HeN mice, 580, 716
- C57BL/6 mice, 518
- Calcitonin gene-related peptide, 586
- Calcium
- inducing apoptosis, 276
 - intracellular oscillations, 765
- Catalase, vitiligo melanocytes, 310
- CCAAT enhancer binding protein (C/EBP), 501
- CD4⁺ cytotoxic T cells, 636
- CD8⁺ T cells, 580
- CD34⁺ hematopoietic progenitors, 510, 738

- CD36⁺DR⁺ macrophages, 699
- CD44 Substituted with Heparan Sulfate and Endo- β -galactosidase-Sensitive Oligosaccharides: A Major Proteoglycan in Adult Human Epidermis, Tuhkanen A-L, Tammi M, Tammi R, 213
- CD45-deficient mice, 250
- CDKN2A, transfection into melanoma cells, 61
- cDNA Cloning of the 210-kDa Paraneoplastic Pemphigus Antigen Reveals that Envoplakin is a Component of the Antigen Complex, Kin S-C, Kwon YD, Lee IJ, Lee IJ, Chang SN, Lee TG, 365
- Cell adhesion
keratinocytes, 163
leukocyte/endothelial cell, 710
- Cell death, programmed *see* Apoptosis
- Cell surface protein, keratinocyte, and carcinogenesis, 194
- Ceramides, 348, 783
- Cervical cancer, 619
- Cholesterol synthesis, 783
- Chondroitin sulfate, 213
- Chromatid breaks, 546
- Chromosome 1p34-p35 region, 666
- Chromosome 1q21, 604
- Chromosome 3p, 801
- Chromosome 13q, 801
- Clonal units of epidermal structure, 377
- Clonality in Nevocellular Nevus and Melanoma: An Expression-Based Clonality Analysis at the X-Linked Genes by Polymerase Chain Reaction, Harada M, Suzuki M, Ikeda T, Kaneko T, Harada S, Fukayama M, 656
- Co-Culture of Dermal Fibroblasts with Human Epidermal Keratinocytes Induces Increased Prostaglandin E₂ Production and Cyclooxygenase 2 Activity in Fibroblasts, Sato T, Kirimura Y, Mori Y, 334
- COL7A1 gene mutations, 246, 384, 390, 684, 811
- Collagen
synthesis, IFN- γ /IL-4 interactions, 158
type IV α chains, *in vitro* skin model, 527
type VII (COL7A1) gene mutations, 246, 384, 390, 684, 811
type XVII, 74, 200, 613
- Collagenase-1 (MMP-1), 96
- Collagenase-3 (MMP-13), 96, 225
- Combination of a Common Splice Site Mutation and a Frameshift Mutation in the COL7A1 Gene: Absence of Functional Collagen VII in Keratinocytes and Skin, Hammami-Hauasli N, Kalinke DU, Schumann H, Kalinke U, Pontz BF, Anton-Lamprecht I, Pulkkinen L, Zimmermann M, Uitto J, Bruckner-Tuderman L, 384
- Commercial Tanning Bed Treatment Is an Effective Psoriasis Treatment: Results from an Uncontrolled Clinical Trial, Fleischer AB, Clark AR, Rapp SR, Reboussin DM, Feldman SR, 170
- Complement, response of SCC-12F cell line, 39
- Connexin-37 (*GJA4*) gene, 666
- Contact dermatitis, 314
- Contact hypersensitivity, 20, 25, 146, 716
- Contact photosensitivity, 175
- Contact sensitivity, 175
- Copper binding sites, tyrosinase, 207
- Cornified envelope, 604
- COS7 cells, 127
- Cultured Human Keratinocytes Express Tropoelastin, Kajiya H, Tanaka N, Inazumi T, Seyama Y, Tajima S, Ishibashi A, 641
- Cumene hydroperoxide (CUH), 310
- Cutaneous B-cell lymphoma, 541
- Cutaneous T-cell lymphoma, 636
- Cyclooxygenase 2 (COX-2), fibroblasts, 334
- L-Cysteine, 796
- Cysts, epidermal, 704
- Cytometric sorting, 289
- Cytotoxic T cells, CD4⁺, 636
- D**
- db/db mice, wound healing, 132
- Deleted in colon carcinoma (DCC), 672
- Deletion Mapping of Chromosome 3p and 13q and Preliminary Analysis of the FHIT Gene in Human Nonmelanoma Skin Cancer, Sikkink SK, Rehman I, Rees JL, 801
- Dendritic cells
differentiation, 738
MHC class I⁺/II⁺, 580
- see also* Langerhans cells
- Dendritic epidermal T cells (DETC)
B7-1 function, 728
functions, 271
VK3, 250
- Dermal papillae
epidermal stem cells and, 697
IGF-I/IGF-I receptors, 770
- Desmocollin 1 (Dsc1), 127
- Desmoglein-1 (Dsg-1), 734
- Desmoglein 3
autoantibodies, 592
gene, 324
T cell responses, 734
- Despite the Presence of UVB-Induced DNA Damage, HLA-DR⁺ Cells from *Ex Vivo* UVB-Exposed Human Skin Are Able to Migrate and Show No Impaired Allostimulatory Capacity, Kremer IB, Sylva-Steenland, MR, Bos JD, Teunissen MBM, 626
- Detection of Tyrosinase Autoantibodies in Patients With Vitiligo Using ³⁵S-Labeled Recombinant Human Tyrosinase in a Radioimmunoassay, Kemp EH, Gawkrödger DJ, MacNeil S, Watson PF, Weetman AP, 69
- Developmentally Programmed Expression of Hyaluronan in Human Skin and its Appendages, Agren UM, Tammi M, Rynänen M, Tammi R, 219
- Dexamethasone, wound healing and, 132
- Different Levels of 5 α -Reductase Type I and II, Aromatase, and Androgen Receptor in Hair Follicles of Women and Men with Androgenetic Alopecia, Sawaya ME, Price VH, 296
- Differential Effects of Sunscreens on UVB-Induced Immunomodulation in Man, Hurks HMH, Van der Molen RG, Out-Luiting C, Vermeer B-J, Claas FHJ, Mommaas AM, 699
- 1,25-Dihydroxyvitamin D₃, 46, 276
- 1,25-Dihydroxyvitamin D₃, Transforming Growth Factor β 1, Calcium, and Ultraviolet B Radiation Induce Apoptosis in Cultured Human Keratinocytes, Benassi L, Ottani D, Fantini F, Marconi A, Chiodino C, Giannetti A, Pincelli C, 276
- Dimethyl-(a)benzanthracene, 704
- Dimethylbenz(a)anthracene, 716
- Dinitrochlorobenzene (DNCB), 314
- Dinitrofluorobenzene (DNFB), 25, 175
- Distinct Populations of Stromal Cells Express Collagenase-3 (MMP-13) and Collagenase-1 (MMP-1) in Chronic Ulcers but Not in Normally Healing Wounds, Vaalamo M, Mattila L, Johansson N, Kariniemi A-L, Karjalainen-Lindsberg M-L, Kähäri V-M, Saarialho-Kere U, 96
- DNA
photodamage, 340, 626
repair, deficient, 546
- DNA polymerase, 550
- DP proteins, 187
- Drug eruption, fixed, 271
- E**
- E2F as a Regulator of Keratinocyte Proliferation: Implications for Skin Tumor Development, Jones SJ, Dicker AJ, Dahler AL, Saunders NA, 187
- E7 protein, 187
- E-selectin, 710
- Editorial, Lymphocyte Activation in the Pathogenesis of Psoriasis, Norris DA, Travers JB, Leung, DYM, 1
- Effects of Trypsin on Apoptosis, Utricle Size, and Skin Elasticity in the Rhino Mouse, Seiberg M, Siock P, Wisniewski S, Cauwenbergh G, Shapiro SS, 370
- EGF-Receptor Tyrosine Kinase Inhibition Induced Keratinocyte Growth Arrest and Terminal Differentiation, Peus D, Hamacher L, Pittelkow MR, 751
- 80/1 dendritic cells, MHC class I⁺/II⁺, 580
- Elasticity, skin, trypsin-treated Rhino mouse, 370
- Elastin, cultured keratinocytes, 641
- Endo- β -galactosidase-sensitive oligosaccharides, 213
- Endosomes, 788
- Endothelial Cell Surface Alkaline Phosphatase Activity is Induced by IL-6 Released During Wound Repair, Gallo RL, Dorschner RA, Takashima S, Klagsbrun M, Eriksson E, Bernfield M, 597
- Endothelial cells, leukocyte adhesion, 710
- Envoplakin, 365
- Enzyme-linked immunosorbent assay (ELISA), 679
- Epidermal cysts, 704
- Epidermal growth factor (EGF) receptor, 751

- Epidermal hyperplasia, induced by repeated barrier disruption, 84
- Epidermal Proliferation but Not the Quantity of DNA Photodamage Is Correlated with UV-Induced Mouse Skin Carcinogenesis, Berton TR, Mitchell DL, Fischer SM, Locniskar MF, 340
- Epidermal Remodeling in Psoriasis (II): A Quantitative Analysis of the Epidermal Architecture, Iizuka H, Honda H, Ishida-Yamamoto A, 806
- Epidermal stem cells, keratinocyte, 377, 501, 534, 697
- Epidermal T cells: Their Functional Role and Disease Relevance for Dermatologists, Shiohara T, Moriya N, 271
- Epidermal units, clonal nature, 377
- Epidermis: Genes on—Genes Off, Eckert RL, Crish JF, Banks EB, Welter JF, 501
- Epidermis, remodeling in psoriasis, 806
- Epidermolysis bullosa
dystrophic (EBD), 246
Cockayne–Touraine variant, 684
combined recessive COL7A1 mutations, 384
dominant, 811
Hallopeau–Siemens recessive, 390
Pasini variant, 684
generalized atrophic benign (GABEB), 74, 356, 613
junctional (JED)
Herlitz type, 232
LAD-1 deficiency, 356
simplex (EBS)
Dowling–Meara, 815
keratin 14 mutation, 360
- Epidermolytic hyperkeratosis, 692
- Epidermolytic palmoplantar keratoderma (EPPK), 113
- Epiligrin, 557
- Epithelial–Stromal Interactions Modulating Penetration of Matrigel Membranes by HPV 16–Immortalized Keratinocytes, Turner MA, Darragh T, Palefsky JM, 619
- Erythema multiforme, herpes simplex virus-associated, 550
- Erythrokeratoderma
and ataxia, 666
variabilis, 666
- Erythropoietic Protoporphyria: Four Novel Frameshift Mutations in the Ferrochetalase Gene, Wang X, Piomelli S, Peacocke M, Christiano AM, Poh–Fitzpatrick MB, 688
- European Society for Dermatological Research
Annual Meeting Oct 4–7, 1997, Abstracts, 401
minutes of Annual General Meeting, Sept 30, 1996, 397
Symposium on Cutaneous Malignant Lymphomas, Sept 26–28, 1997, Abstracts, 483
- Ex Vivo Keratinocyte Model for Gene Therapy of Hemophilia B, Page SM, Brownlee GG, 139
- Expression of B7-1 by Pam 212 Squamous Cell Carcinoma Enhances Tumor Cell Interactions with Dendritic Epidermal T Cells but Does Not Affect *In Vivo* Tumor Growth, Yeh, K-Y, Chen Z, Nasir A, Ohsuga Y, Takashima A, Lord EM, Gaspari AA, 728
- Expression of Herpes Simplex Virus DNA Fragments Located in Epidermal Keratinocytes and Germinative Cells is Associated with the Development of Erythema Multiforme Lesions, Imafuku S, Kokuba H, Aurelian L, Burnett J, 550
- Expression of Neurotrophic Factors and Neuropeptide Receptors by Langerhans Cells and the Langerhans Cell-Like Cell Line XS52: Further Support for a Functional Relationship Between Langerhans Cells and Epidermal Nerves, Torii H, Yan Z, Hosoi J, Granstein RD, 586
- Expression of Two Ig Family Adhesion Molecules in the Murine Hair Cycle: DCC in the Bulge Epithelia and NCAM in the Follicular Papilla, Combates NJ, Chuong C-M, Stenn KS, Prouty SM, 672
- Extracellular Domain of BPAG2 Localizes to Anchoring Filaments and its Carboxyl Terminus Extends to the Lamina Densa of Normal Human Epidermal Basement Membrane, Masunaga T, Shimizu H, Yee C, Borradori L, Lazarova Z, Nishikawa T, Yancey KB, 200
- Extracellular matrix, dendritic cell differentiation, 738

F

- Factor IX, expression in keratinocytes, 139
- Fatty acid synthase, 783
- Fatty acids
epidermal synthesis, 783
unsaturated, topical application, 152
- Fatty aldehyde dehydrogenase (FALDH) deficiency, 79
- FEP18-11-T1 keratinocyte cell line, 194

- Ferrochetalase gene mutations, 688
- Fetal skin, hyaluronan expression, 219
- FHIT (Fragile Histidine Triad) gene, 801
- Fibroblast growth factor
basic (bFGF), 586, 619
receptor-1 (FGFR-1), in wound healing, 108
- Fibroblasts
IGF-I production, 770
interferon-K and interleukin-4 interactions, 158
keratinocyte co-culture, 334
liposome-encapsulated IFN-1-2b and, 55
MMP-13 and MMP1 expression, 96
- Fibronectin Upregulates *In Vivo* Generation of Dendritic Langerhans Cells from Human Cord Blood CD34⁺ Progenitors, Staquet MJ, Jacquet C, Dezutter-Dambuyant C, Schmitt D, 738
- Fixed drug eruption, 271
- Flank organs, hamster, 152
- Flow cytometry, 289
- Formation of Competent Barrier Lipids in Reconstructed Human Epidermis Requires the Presence of Vitamin C, Ponc M, Weerheim A, Kempenaar J, Mulder A, Gooris GS, Bouwstra J, Mommaas AM, 348
- Fragile Histidine Triad (FHIT) gene, 801
- Free radicals, 310

G

- G proteins, keratinocyte, 645
- G82 monoclonal antibody, 778
- GI16 G protein, 645
- β -Galactosidase gene transduction, 377
- KL T cells, 271
- Gastrin-releasing peptide receptors, 586
- Gly G protein, 645
- Gender differences
androgenetic alopecia, 296
psoriasis susceptibility, 183
- Gene
expression, regulation, 501
mutations *see* Mutations
therapy, hemophilia B, 139
- Genetic Basis of Dominantly Inherited Transient Bullous Dermolysis of the Newborn: a Splice Site Mutation in the Type VII Collagen Gene, Christiano AM, Fine J-D, Uitto J, 811
- Genetic counseling, xeroderma pigmentosum, 306
- Genetic heterogeneity, erythrokeratodermias, 666
- Genetic susceptibility
pemphigus in Japanese patients, 615
type I psoriasis, 183
- Genetic Variation in Low-Dose UV-Induced Suppression of Contact Hypersensitivity and in the Skin Photocarcinogenesis Response, Yamawaki M, Katiyar SK, Anderson CY, Tubesing KA, Mukhtar H, Elmetts CA, 716
- Genital melanocytes, human, 513
- Geometric model, epidermal architecture, 806
- GJA4 (connexin-37) gene, 666
- Glucocorticoids, wound healing and, 132
- Glutathione Metabolism in Mice Is Enhanced More With Hapten-Induced Allergic Contact Dermatitis Than with Irritant Contact Dermatitis, Hirai A, Minamiyama Y, Hamada T, Ishii M, Inoue M, 314
- gp75, 788
- Granular layer, in psoriasis, 806
- Granzyme B, 636
- Greither disease, 666
- Growth factors, epithelial–stromal interactions and, 619
- Growth hormone, in psoriasis, 661
- Growth hormone-binding protein, 661
- Growth hormone receptors, epidermal, 661
- Growth Suppression of Hamster Flank Organs by Topical Application of γ -Linolenic and Other Fatty Acid Inhibitors of 5I-Reductase, Liang T, Liao S, 152

H

- HaCaT keratinocytes, 722, 757, 765
- Hair follicles
in androgenetic alopecia, 296

autoantibodies, 329
bal mutant mice, 324
 cycling, Ig family adhesion molecules, 672
 development/cycling, 518
 IGF-I/IGF-I receptors, 770
 progenitor cells, 534
 Hair loss, *see* Alopecia
 Hairless mice
 barrier disruption, 84
 UV irradiation, 340
 Hamster flank organs, 152
 Hapten-Specific Tolerance Induced by Acute, Low-Dose Ultraviolet B Radiation of Skin Is Mediated via Interleukin-10, Niizeki H, Streilen JW, 25
 Harlequin Ichthyosis Keratinocytes in Lifted Culture Differentiate Poorly by Morphologic and Biochemical Criteria, Fleckman P, Hager B, Dale BA, 36
 Helix initiation motif, 113
 Hematopoietic progenitors, CD34⁺, 510, 738
 Hemidesmosomes, 74, 200, 573, 679
 Hemocyanin, 207
 Hemophilia B, gene therapy, 139
 Heparan sulfate, 213
 HER-1, 751
 Herpes simplex virus, erythema multiforme and, 550
 Highly Sensitive Enzyme-Linked Immunosorbent Assay for the Detection of Circulating Anti-BP180 Autoantibodies in Patients with Bullous Pemphigoid, Zillikens D, Mascaro JM, Rose PA, Liu Z, Ewing SM, Caux F, Hoffmann RG, Diaz LA, Giudice GJ, 679
 Histamine, psoriatic plaques, 632
 HLA-CW*0602 Is a Susceptibility Factor in Type I Psoriasis, and Evidence Ala-73 Is Increased in Male Type I Psoriatics, Mallon E, Bunce M, Wojnarowska F, Welsh K, 183
 HLA-Cw6, 562, 695
 HLA-DR⁺ cells
 psoriatic skin grafts, 283
 UVB radiation effects, 626
 HLA-DRB1*04 and DRB1*14 Alleles are Associated with Susceptibility to Pemphigus among Japanese, Miyagawa S, Higashimine I, Iida T, Yamashina Y, Fukumoto T, Shirai T, 615
 HMG-CoA reductase, 783
 Homozygous In-Frame Deletion in the Collagenous Domain of Bullous Pemphigoid Antigen BP180 (Type XVII Collagen) Causes Generalized Atrophic Benign Epidermolysis Bullosa, Chavanas S, Gache Y, Tadini G, Pulkkinen L, Uitto J, Ortonne JP, Meneguzzi G, 74
 Correction, 613
 HTLV-I, 817
 Human Collagenase-3 Is Expressed in Malignant Squamous Epithelium of the Skin, Airola K, Johansson N, Kariniemi A-L, Kähäri V-M, Saarialho-Kere UK, 225
 Human cord blood, 738
 Human Desmocollin 1 (Dsc1) Is an Autoantigen for the Subcorneal Pustular Dermatitis Type of IgA Pemphigus, Hashimoto T, Kiyokawa C, Mori O, Miyasato M, Chidgey MAJ, Garrod DR, Kobayashi Y, Komori K, Ishii K, Amagai M, Nishikawa T, 127
 Human Genital Melanocytes as Androgen Target Cells, Tadokoro T, Itami S, Hosokawa K, Terashi H, Takayasu S, 513
 Human papillomavirus (HPV) 16-immortalized keratinocytes, 619
 Human skin
 barrier disruption, 84
 hyaluronan expression, 219
 in vitro reconstructed
 barrier lipids, 348
 Langerhans cells, 510
 proteoglycans, 213
 role of IGF-I, 770
 SCID mouse chimera, 102, 744
 topical retinoids, 301
 Human Skin/SCID Mouse Chimeras as an *In Vivo* Model for Human Cutaneous Mast Cell Hyperplasia, Christofidou-Solomidou M, Longley BJ, Whittaker-Menezes D, Albelda SM, Murphy GF, 102
 Human T-cell lymphotropic virus I (HTLV-I), 817
 HUT-78 T-cell line, 744
 Hyaluronan, 213, 219
 Hybridization
 in situ, 770
 subtractive, 91
 4-Hydroxylase, 301

Hypertrophic scars, liposome-encapsulated IFN-I-2b and, 55

H

ICAM-1, 283, 710
 Ichthyosis
 bullosa of Siemens, 116
 Harlequin, keratinocytes, 36
 Sjögren-Larsson syndrome, 79
 Vohwinkel's keratoderma with, 604
 X-linked, 244
 ICP8, 550
 ICP27, 550
 Identification of a Cell Surface Protein with a Role in Stimulating Human Keratinocyte Proliferation, Expressed During Development and Carcinogenesis, Kaur P, Paton S, Furze J, Wrin J, Olsen S, Danks J, Scurry J, 194
 IgA pemphigus, 127
 IGF-I *see* Insulin-like growth factor-I
 IgG autoantibodies
 laminin 5, 557
 pemphigus, 592, 650
 Immunoblotting, 329
 Immunocytochemistry, 770
 Immunofluorescence, 329
 Immunoglobulin (Ig)
 family adhesion molecules, 672
 V_H gene rearrangement, 541
In situ hybridization, 770
 Increased Interstitial Histamine Concentration in the Psoriatic Plaque, Krogstad AL, Lönnroth P, Larson G, Wallin BG, 632
 Increased Sensitivity to Peroxidative Agents as a Possible Pathogenic Factor of Melanocyte Damage in Vitiligo, Maresca V, Roccella M, Roccella F, Camera E, Del Porto G, Passi S, Grammatico P, Picardo M, 310
 Insulin-like growth factor-I (IGF-I)
 in psoriasis, 661
 role in human skin, 770
 Insulin-like growth factor binding protein-3, 661
 Integration of Langerhans Cells into a Pigmented Reconstructed Human Epidermis, Régnier M, Staquet M-J, Schmitt D, Schmidt R, 510
 Integrins
 β1, *in vitro* skin model, 527
 keratinocyte, 163
 Intercellular adhesion molecule 1 (ICAM-1), 283, 710
 Interferon-α-2b, liposome-encapsulated, 55
 Interferon-γ, 158
 Interleukin-1α precursor (proIL-1), 334
 Interleukin-4 (IL-4), 158
 Interleukin-6 (IL-6), 586, 597
 Interleukin-10 (IL-10), 25
 Intermediate filament-associated protein, 365
 Intermediate filaments *see* Keratin intermediate filaments
 Intracellular Calcium Oscillations in Cell Populations of *ras*-Transfected I-7 Subline of Human HaCaT Keratinocytes, Shi B, Iseroff RR, 765
 Invasion, epithelial-stromal interactions and, 619
 Irritant contact dermatitis, 314

J

Japanese patients
 pemphigus vulgaris, 615
 xeroderma pigmentosum, 306

K

K252, 757
 Keratan sulfate, 213
 Keratin
 2e chain, novel mutation, 116
 5, novel mutation, 815
 9, novel mutation, 113
 10 mutations, 692
 14 mutations, 360
 genes, response elements, 566

- hair follicle-specific, 329
 - Harlequin ichthyosis keratinocytes, 36
 - p53 antibody cross-reaction, 611
 - Keratin intermediate filaments (KIF)
 - epidermolytic hyperkeratosis, 692
 - epidermolytic palmoplantar keratoderma, 113
 - ichthyosis bullosa of Siemens, 116
 - transglutaminase-related antigen and, 778
 - Keratinocytes
 - 10G7 antigen, 194
 - apoptosis, 163, 276, 722, 757
 - basement membrane adhesion, 74, 200, 356
 - Ca²⁺ oscillations, 765
 - collagen VII deficiency, 384
 - cultured skin substitutes, 289
 - 1,25-dihydroxyvitamin D₃ and retinoic acid, 46
 - E2F, 187
 - factor IX-expressing, 139
 - FGFR-1 expression, 108
 - fibroblast co-culture, 334
 - G proteins, 645
 - gene regulation, 501
 - growth arrest/terminal differentiation, 751
 - hair follicle progenitor cells, 534
 - Harlequin ichthyosis, 36
 - hemidesmosomes, 74, 200
 - HPV 16-immortalized, 619
 - IgA pemphigus, 127
 - IGF-I and, 770
 - λ gt 11 cDNA expression library, 365
 - retroviral transduction, 377
 - stem cells, 377, 501, 534, 697
 - transglutaminase-related antigen, 778
 - tropoelastin expression, 641
 - Keratoderma
 - epidermolytic palmoplantar (EPPK), 113
 - Vohwinkel's, 604
- L**
- La³⁺, 765
 - Lac-Z, 377, 697
 - LAD-1 Is Absent in a Subset of Junctional Epidermolysis Bullosa Patients, Marinkovich MP, Tran HH, Rao SK, Giudice GJ, Balding S, Jonkman MF, Pas HH, McGuire JS, Herron GS, Bruckner-Tuderman L, 356
 - LAMB3 gene, R635X mutation, 232
 - LAMC2 mutations, 232
 - Lamina lucida, 356
 - Laminin 5, 200, 225
 - IgG autoantibodies, 557
 - junctional epidermolysis bullosa, 356
 - mutations, 232
 - Langerhans, Paul, 120
 - Langerhans cells
 - barrier-disrupted mice, 175
 - differentiation, 738
 - epidermal nerves and, 586
 - in vitro* reconstructed human epidermis, 510
 - International Workshop, Sept 5-7, 1997, *Abstracts*, 253
 - UVB radiation effects, 626
 - see also* Dendritic cells
 - Leukaemia inhibiting factor, 597
 - Leukocytes, adhesion to dermal endothelial cells, 710
 - Linkage disequilibrium, 562
 - Linkage Studies in Erythrokeratodermias: Fine Mapping, Genetic Heterogeneity, and Analysis of Candidate Genes, Richard G, Lin J-P, Smith L, Whyte YM, Itin P, Wollina U, Epstein E, Hohl D, Giroux J-M, Charnas L, Bale SJ, DiGiovanna JJ, 666
 - γ -Linolenic acid, topical, 152
 - Lipids, barrier, 348, 783
 - Liposome-Associated Interferon- α -2b Functions as an Anti-Fibrogenic Factor for Human Dermal Fibroblasts, Ghahary A, Shen Q, Rogers JA, Wang R, Fathi-Afshar A, Scott PG, Tredget EE, 55
 - Loricrin Mutation in Vohwinkel's Keratoderma is Unique to the Variant with Ichthyosis, Korge BP, Ishida-Yamamoto A, Pünter C, Dopping-Hepenstal PJ, Iizuka H, Stephenson A, Eady RAJ, Munro CS, 604

- Loss of heterozygosity, 801
- Lymphocyte Activation in the Pathogenesis of Psoriasis, Norris DA, Travers JB, Leung, DYM, *Editorial*, 1
- Lymphocytes, blood, defective DNA repair, 546
- Lymphoma
 - cutaneous B-cell, 541
 - cutaneous T-cell, 636
- Lymphomatoid papulosis, 636, 817

M

- Macrophages, CD36⁺DR⁺, 699
- Major histocompatibility complex, 562
- Mast cells
 - hyperplasia, 102
 - in psoriasis, 632
- Mastocytosis, cutaneous, 102
- Matrigel membranes, 619
- Matrix metalloproteinases
 - 1 (MMP-1), 96
 - 13 (MMP-13; collagenase-3), 96, 225
- Melanocytes
 - in cultured skin substitutes, 289
 - genital, androgen responsiveness, 513
 - melanogenesis, 796
 - vitiligo, oxidative stress and, 310
- Melanogenesis, 31, 207, 796
- Melanogenesis in Cultured Melanocytes can be Substantially Influenced by L-Tyrosine and L-Cysteine, Smit NPM, Van der Meulen H, Koerten HK, Kolb RM, Mommaas AM, Lentjes EGWM, Pavel S, 796
- Melanoma
 - cells, CDKN2A transfection, 61
 - clonality, 656
 - cutaneous, 546
 - microsatellite instability, 119
- Melanosome membrane proteins, 788
- Mental retardation, Sjögren-Larsson syndrome, 79
- Metalloproteinases, matrix, *see* Matrix metalloproteinases
- MHC Class I⁺/II⁻ Dendritic Cells Induce Hapten-Specific Immune Responses *in Vitro* and *in Vivo*, Kolesaric A, Stingl G, Elbe-Bürger A, 580
- Microdialysis, intracutaneous, 632
- Micromanipulation, lymphoma cell, 541
- Microsatellite Instability in Primary and Metastatic Melanoma, Letter, Richetta A, Silipo V, Calvieri S, Frati L, Ottini L, Cama A, Mariani-Costantini R, 119
- Milia, 704
- Minutes of the European Society for Dermatological Research Annual General Meeting, Sept 30, 1996, 397
- Mixed epidermal cell lymphocyte reaction (MECLR), 699
- Molecular Analysis of the Immunoglobulin V_H Gene Rearrangement in a Primary Cutaneous Immunoblastic B-Cell Lymphoma by Micromanipulation and Single-Cell PCR, Gellrich S, Golembowski S, Audring H, Jahn S, Sterry W, 541
- Monoclonal antibody 10G7, 194
- Most Primary Cutaneous CD30-Positive Lymphoproliferative Disorders Have a CD4-Positive Cytotoxic T-Cell Phenotype, Kummer JA, Vermeer MH, Dukers D, Meijer CJL, Willemze R, 636
- Mouse
 - athymic, grafts of cultured skin substitutes, 289
 - bal mutations, 324
 - barrier disruption, 84, 175
 - C3H/He, 329, 716
 - CD45-deficient, 250
 - epidermal stem cells, 377
 - glutathione metabolism, 314
 - hair follicle development/cycling, 518
 - Ig family adhesion molecules, 672
 - nude, keratinocyte grafts, 139
 - RAG-1 knockout, 704
 - Rhino, trypsin treatment, 370
 - transglutaminase-related antigen, 778
 - UV irradiation, 340, 716
 - see also* Hairless mice; SCID mice
- mRNA
 - barrier disruption regulating, 783
 - nonsense-mediated decay, 390, 688

- Mucosal and Mucocutaneous (Generalized) Pemphigus Vulgaris show Distinct Autoantibody Profiles, Ding X, Aoki V, Mascaro JM, Lopez-Swiderski A, Diaz LA, Fairley JA, 592
- Mutational Analysis of Copper Binding by Human Tyrosinase, Spritz RA, Ho L, Furumura M, Hearing VJ, 207
- Mutations
- bullous pemphigoid antigen 2 (BPAG2; BP180), 74, 613
 - collagen type VII (COL7A1), 246, 384, 390, 684, 811
 - fatty aldehyde dehydrogenase, 79
 - ferrochetalase, 688
 - keratin 2e chain, 116
 - keratin 5, 815
 - keratin 9, 113
 - keratin 10, 692
 - keratin 14, 360
 - laminin 5, 232
 - loricrin, 604
 - steroid sulfatase, 244

N

- Nerve growth factor (NGF), 586, 757
- TRK receptor, 757
- Nerves, Langerhans cells and, 586
- Neural cell adhesion molecule (NCAM), 672
- Neuropeptide receptors, 586
- Neurotrophic factors, 586
- Nevus/nevi
- dysplastic, 546
 - nevocellular, clonality, 656
- Newborn, transient bullous dermolysis of (TBDN), 811
- Nickel, 146, 744
- No Evidence for Involvement of the Growth Hormone/Insulin-Like Growth Factor-1 Axis in Psoriasis, Björntorp E, Wickelgren R, Bjarnason R, Swanbeck G, Carlsson LMS, Lindahl A, 661
- Noncomplement Fixing, IgG₄ Autoantibodies Predominate in Patients with Anti-Epiligrin Cicatricial Pemphigoid, Hsu R, Lazarova Z, Yee C, Yancey KB, 557
- Nonsense-mediated mRNA decay, 390, 688
- "Normal" Development of VK3 Dendritic Epidermal T Cells in CD45-deficient Mice, *Letter*, Kawai K, Ohashi PS, 250
- Novel Glycine Substitution Mutations in COL7A1 Reveal that the Pasini and Cockayne-Touraine Variants of Dominant Dystrophic Epidermolysis Bullosa Are Allelic, Kon A, Nomura K, Pulkkinen L, Sawamura D, Hashimoto I, Uitto J, 684
- Novel Mutation in the Helix Termination Peptide of Keratin 5 Causing Epidermolysis Bullosa Simplex Dowling-Meara, Irvine AD, McKenna KE, Bingham A, Nevin NC, Hughes AE, 815
- Novel Mutation of a Leucine Residue in Coil 1A of Keratin 9 in Epidermolytic Palmoplantar Keratoderma, Endo H, Hatamochi A, Shinkai H, 113
- Novel Point Mutation in the Steroid Sulfatase Gene in X-linked Ichthyosis, Morita E, Katoh O, Shinoda S, Hiragun T, Tanaka T, Kameyoshi Y, Yamamoto S, 244
- Novel Threonine-Proline Mutation at the End of 2B Rod Domain in the Keratin 2e Chain in Ichthyosis Bullosa of Siemens, Yang J-M, Lee S, Bang H-D, Kim W-S, Lee E-S, Steinert PM, 116
- Nude mice, keratinocyte grafts, 139

O

- Oncostatin M, 597
- Oxidative stress
- and contact dermatitis, 314
 - vitiligo melanocytes, 310

P

- p16 protein, 61
- p53 Mutation in Squamous Cell Carcinomas from Psoriasis Patients Treated with Psoralen + UVA (PUVA), Nataraj AJ, Wolf P, Cerroni L, Ananthaswamy HN, 238
- p53 protein, 163, 340
- PAb421 antibody, 611
 - UVB-induced apoptosis and, 722

- PAb421 antibody, 611
 - Pam 212 squamous cell carcinoma cells, 728
 - Papillae, dermal *see* Dermal papillae
 - Paraneoplastic pemphigus (PNP) antigen, 365
 - Partial Dominance of a Keratin 14 Mutation in Epidermolysis Bullosa Simplex-Increased Severity of Disease in a Homozygote, Hu Z, Smith L, Martins S, Bonifas JM, Chen H, Epstein EH, 360
 - Paul Langerhans Sesquicentennial, July 23rd, 1997, *Letter*, De Panfilis, G, 120
 - PCR-RFLP Analysis as an Aid to Genetic Counseling of Families of Japanese Patients With Group A Xeroderma Pigmentosum, Maeda T, Sato K, Minami H, Taguchi H, Yoshikawa K, 306
 - PD 153035, 751
 - Pemphigoid
 - anti-epiligrin cicatricial, 557
 - bullous, 573, 679 - Pemphigus
 - foliaceus
 - HLA alleles and susceptibility, 615
 - T cell autoimmunity, 734 - IgA, 127
 - IgG autoantibodies, mechanism of effects, 650
 - paraneoplastic, 365
 - vulgaris
 - autoantibody profiles, 592
 - bal mutations and, 324
 - HLA alleles and susceptibility, 615
 - T cell autoimmunity, 734
- Pemphigus IgG Induces Expression of Urokinase Plasminogen Activator Receptor on the Cell Surface of Cultured Keratinocytes, Seishima M, Satoh S, Nojiri M, Osada K, Kitajima Y, 650
- Permeability barrier disruption, 84, 175, 783
- Permeability Barrier Disruption Coordinately Regulates mRNA Levels for Key Enzymes of Cholesterol, Fatty Acid, and Ceramide Synthesis in the Epidermis, Harris IR, Farrell AM, Grunfeld C, Holleran WM, Elias PM, Feingold KR, 783
- Peroxidative agents, 310
- Pheomelanin, 796
- Phosphatases, endothelial cell, 597
- Photodamage, DNA, 340, 626
- Photosensitivity, contact, 175
- Phototherapy, commercial tanning beds for, 170
- Picryl chloride, 175
- Pigmentation
- cultured skin substitutes, 289
 - human genital skin, 513
 - L-tyrosine/L-cysteine and, 796
 - pteridines in control, 31
- Pituitary adenylate cyclase activating polypeptide (PACAP), 586
- Plasminogen activator receptor, urokinase, 650
- Platelet-derived growth factor (PDGF)
- receptors, 132
 - in wound healing, 132
- Polymerase chain reaction (PCR), 5, 550, 656
- single-cell, 541
- POU domain, 501
- Predominance of the Recurrent Mutation R635X in the LAMB3 Gene in European Patients with Herlitz Junctional Epidermolysis Bullosa Has Implications for Mutation Detection Strategy, Pulkkinen L, Meneguzzi G, McGrath JA, Xu Y, Blanchet-Bardon C, Ortonne J-P, Christiano AM, Uitto J, 232
- Premature Termination Codon Mutations in the Type VII Collagen Gene in Recessive Dystrophic Epidermolysis Bullosa Result in Nonsense-Mediated mRNA Decay and Absence of Functional Protein, Christiano AM, Amano S, Eichenfield LF, Burgeson RE, Uitto J, 390
- Premature termination codons, 390, 688
- Prenatal diagnosis, dystrophic epidermolysis bullosa, 246
- Primary Mouse Keratinocyte Cultures Contain Hair Follicle Progenitor Cells with Multiple Differentiation Potential, Kamimura J, Lee D, Baden HP, Brissette J, Dotto GP, 534
- Profilaggrin, 36
- Programmed cell death *see* Apoptosis
- Prointerleukin-1 α (proIL-11), 334
- Prostaglandin E₂, fibroblast production, 334
- Prostaglandin F_{2 α} , complement-induced production, 39
- Protease inhibitors, 788
- Proteases, 84
- Protein Expression of Fibroblast Growth Factor Receptor-1 in Keratinocytes

- During Wound Healing in Rat Skin, Takenaka H, Kishimoto S, Tooyama I, Kimura H, Yasuno H, 108
- Proteoglycans, human epidermis, 213
- Psoralen and UVA radiation therapy (PUVA), 238
- Psoriasis
- commercial tanning bed treatment, 170
 - epidermal remodeling, 806
 - growth hormone/IGF-1 axis, 661
 - HLA-CW*0602 and Ala-73, 183
 - HLA-Cw6-positive, age of onset, 695
 - juvenile-onset, 562
 - lymphocyte activation in pathogenesis, 1
 - p53 mutations in squamous cell carcinoma, 238
 - plaques, interstitial histamine, 632
 - skin grafts onto SCID mice, 283
 - T-cell receptor gene expression, 5
 - T-cell receptor V β repertoire, 14
 - TIG2 expression, 91
- Psoriatic arthritis, 562
- Pteridines in the Control of Pigmentation, Schallreuter KU, Schulz-Douglas V, Bünz A, Beazley W, Körner C, 31
- PUVA therapy, 238

R

- Radiation-Induced Chromatid Breaks and DNA Repair in Blood Lymphocytes of Patients with Dysplastic Nevi and/or Cutaneous Melanoma, Sanford KK, Parshad R, Price FM, Tarone RE, Thompson J, Guerry D, 546
- Radioimmunoassay, ³⁵S-labeled human tyrosinase, 69
- RAG-1 knockout mice, 704
- ras-transfected keratinocytes, 765
- Rat skin, wound healing, 108
- Reactive oxygen intermediates, 20
- Recombinase activating gene-1 (RAG-1) knockout mice, 704
- Recurrent Mutations in the Type VII Collagen Gene (COL7A1) in Patients with Recessive Dystrophic Epidermolysis Bullosa, Mellerio JE, Dunnill GS, Allison W, Ashton GHS, Christiano AM, Uitto J, Eady RAJ, McGrath JA, 246
- Reduced Expression of PDGF and PDGF Receptors During Impaired Wound Healing, Beer H-D, Longaker MT, Werner S, 132
- 5I-Reductase
- androgenetic alopecia, 296
 - genital melanocytes, 513
 - inhibitors, 152
- Regulation of Pigmentation in Cultured Skin Substitutes by Cytometric Sorting of Melanocytes and Keratinocytes, Swope VB, Supp AP, Cornelius JR, Babcock GF, Boyce ST, 289
- Repertoire of T Cell Antigen Receptor β -Chain Variable Regions Associated with Psoriasis Vulgaris, Moss P, Charnley P, Mulvihill E, Ziegler S, Raugi GJ, Kern D, Piepkorn M, Gelinis R, 14
- Response elements, keratin genes, 566
- Response of SCC-12F, a Human Squamous Cell Carcinoma Cell Line, to Complement Attack, Whitlow MB, Klein LM, 39
- Restoration of CDKN2A into Melanoma Cells Induces Morphologic Changes and Reduction in Growth Rate but Not Anchorage-Independent Growth Reversal, Castellano M, Gabrielli BG, Hussussian CJ, Dracopoli NC, Hayward NK, 61
- Retinaldehyde, percutaneous absorption, 301
- Retinoic acid
- keratin gene response elements, 566
 - percutaneous absorption, 301
- Retinoic Acid Modulates the Anti-Proliferative Effect of 1,25-Dihydroxyvitamin D₃ in Cultured Human Epidermal Keratinocytes, Segaut S, Garmyn M, Degreiff H, Bouillon R, 46
- Retinoic acid receptors (RAR), TIG2 and, 91
- Retinol, percutaneous absorption, 301
- Retinyl palmitate, percutaneous absorption, 301
- Retroviral Transduction of Murine Epidermal Stem Cells Demonstrates Clonal Units of Epidermal Structure, Mackenzie IC, 377
- Retroviral vectors, 139
- Reverse transcriptase-polymerase chain reaction (RT-PCR), 14, 586, 801
- Rhino mouse, trypsin treatment, 370
- Role of IGF-I in Human Skin and its Appendages: Morphogen as Well as Mitogen?, Rudman SM, Philpott MP, Thomas GA, Kealey T, 770
- Role of p53 in UVB-Induced Apoptosis in Human HaCat Keratinocytes, Henseleit U, Zhang J, Wanner R, Haase I, Kolde G, Rosenbach T, 722
- SCC-12F squamous cell carcinoma cell line, 39
- SCC25 squamous carcinoma cell line, 187
- SCID mice
- human skin xenografts, 102, 744
 - psoriatic skin grafts, 283
- Scleroderma, fibroblasts, 158
- Selective Amplification of T-Cell Receptor Variable Region Species Is Demonstrable but Not Essential in Early Lesions of Psoriasis Vulgaris: Analysis by Anchored Polymerase Chain Reaction and Hypervariable Region Size Spectratyping, Vekony MA, Holder JE, Lee AJ, Horrocks C, Eperon IC, Camp, RDR, 5
- SENCAR mice, 340
- Serine palmitoyl transferase, 783
- Severe combined immune deficiency (SCID) mice *see* SCID mice
- Significantly Earlier Age at Onset for the HLA-Cw6-positive than for the Cw6-Negative Psoriatic Sibling, Letter, Enerbäck C, Martinsson T, Inerot A, Wahlström J, Enlund F, Yhr M, Samuelson L, Swanbeck G, 695
- Sjögren-Larsson Syndrome is Caused by a Common Mutation in Northern European and Swedish Patients, De Laurenzi V, Rogers GR, Tarcsa E, Carney G, Marekov L, Bale SJ, Compton JG, Markova N, Steinert PM, Rizzo WB, 79
- SK&F 96365, 765
- SKH-1 hairless mouse, 340
- Skin
- collagen VII deficiency, 384
 - elasticity, trypsin-treated Rhino mouse, 370
 - fetal, hyaluronan expression, 219
 - in vitro* models, basal lamina development, 527
 - proteoglycans, 213
 - raft cultures, 91
 - substitutes, cultured, 289
 - T cell migration, 744
 - see also* Human skin
- Skin appendages
- fetal, hyaluronan expression, 219
 - role of IGF-I, 770
 - see also* Hair follicles
- Skin tumors
- collagenase-3 expression, 225
 - E2F and, 187
 - PUVA-treated psoriasis, 238
 - tumor suppressor genes, 801
 - UV-induced, 340
 - UVB-induced, 704, 716
 - see also* Melanoma; Squamous cell carcinoma
- Skin xenografts
- psoriatic skin to SCID mice, 283
 - to RAG-1 knockout mice, 704
 - to SCID mice, 102, 744
- Small-angle x-ray diffraction, 348
- Society for Cutaneous Ultrastructure Research, Annual Meeting, April 24-26, 1997, *Abstracts*, 471
- Society for Investigative Dermatology, Annual Meeting April 25, 1997, *Abstracts*, 122
- Sorting and Secretion of a Melanosome Membrane Protein, gp75/TRP1, Xu Y, Setaluri V, Takechi Y, Houghton AN, 788
- Sp1, 501
- Spastic diplegia/tetraplegia, Sjögren-Larsson syndrome, 79
- Specific Organization of the Negative Response Elements for Retinoic Acid and Thyroid Hormone Receptors in Keratin Gene Family, Radoja N, Diaz DV, Minars TJ, Freedberg IM, Blumenberg M, Tomic-Canic M, 566
- Squamous cell carcinoma, 194
- cell lines, 39, 187, 728
 - collagenase-3 expression, 225
 - PUVA-treated psoriasis, 238
 - tumor suppressor genes, 801
 - UVB-induced, 704
- Stem cell factor, 102
- Stem cells, epidermal, 377, 501, 534, 697
- Steroid sulfatase (STS) gene mutations, 244
- Sterol regulatory element binding proteins (SREBP), 783
- Stratum corneum
- barrier lipid formation, 348
 - disruption, 84, 175, 783

- Stromelysin-1, 225
 Sunscreen and Immunosuppression, Letter, Homey B, Neubert T, Arens A, Schuppe H-C, Ruzicka T, Lehmann P, Vohr H-W, 395
 Sunscreens
 broad-spectrum, 146
 UVB-induced immunomodulation and, 699
 Superoxide dismutase, vitiligo melanocytes, 310
 Systemic sclerosis, fibroblasts, 158

T

- T3, keratin gene response elements, 566
 T-cell lymphoma, cutaneous, 636
 T-cell receptors
 gene expression in psoriasis, 5
 gene rearrangement, 744
 V β repertoire in psoriasis, 14
 T-cell restricted intracellular antigen (TIA-1), 636
 T cells
 in barrier-disrupted mice, 175
 CD4⁺ cytotoxic, 636
 CD8⁺, 580
 dendritic epidermal *see* Dendritic epidermal T cells
 desmoglein-responsive, 734
 epidermal, 271
 migration to skin, 744
 in psoriatic pathology, 283
 T-lymphocyte Dependence of Psoriatic Pathology in Human Psoriatic Skin Grafted to SCID Mice, Gilhar A, David M, Ullmann Y, Berkutski T, Kalish RS, 283
 T lymphocytes *see* T cells
 T Lymphocytes from a Subset of Patients with Pemphigus Vulgaris Respond to Both Desmoglein-3 and Desmoglein-1, Lin M-S, Swartz SJ, Lopez A, Ding X, Fairley JA, Diaz LA, 734
 Tanning beds, commercial, 170
 Tape stripping, 84, 175, 783
 Tazarotene-induced Gene 2 (TIG2), a Novel Retinoid-Responsive Gene in Skin, Nagpal S, Patel S, Jacobe H, DiSepio D, Ghosn C, Malhotra M, Teng M, Duvic M, Chandraratna RAS, 91
 10G7 antigen, 194
 Terminal deoxynucleotidyltransferase-mediated dUTP nick-end labeling (TUNEL), 276
 Testosterone, hamster flank organ growth and, 152
 Tetrachlorosalicylanilide (TCSA), 175
 Thapsigargin, 765
 There is Temporal and Spatial Expression of α 1 (IV), α 2 (IV), α 5 (IV), α 6 (IV) Collagen Chains and β 1 Integrins During the Development of the Basal Lamina in an "In Vitro" Skin Model, Fleischmajer R, Kühn K, Sato Y, MacDonald ED, Perlish JS, Pan T-C, Chu M-L, Kishiro Y, Oohashi T, Bernier SM, Yamada Y, Ninomiya Y, 527
 Threonine-serine kinase 7 L (Tsk 7 L), 518
 Thymidine kinase, 550
 Thyroid hormone, keratin gene response elements, 566
 TIG2 gene, 91
 Tight Clustering of Extracellular BP180 Epitopes Recognized by Bullous Pemphigoid Autoantibodies, Zillikens D, Rose PA, Balding SD, Liu Z, Olague-Marchan M, Diaz LA, Giudice GJ, 573
 Tissue inhibitor of metalloproteinase-1 (TIMP-1), 55
 TNF- α *see* Tumor necrosis factor I
 TNF- α Promoter Polymorphism is Associated with Juvenile Onset Psoriasis and Psoriatic Arthritis, Höhler T, Kruger A, Schneider PM, Schopf RE, Knop J, Rittner C, Meyer zum Büschenfelde K-H, Märker-Hermann E, 562
 Tranexamic acid (t-AMCHA), 84
 trans-4-(Aminomethyl)cyclohexane Carboxylic Acid (T-AMCHA), an Anti-Fibrinolytic Agent, Accelerates Barrier Recovery and Prevents the Epidermal Hyperplasia Induced by Epidermal Injury in Hairless Mice and Humans, Denda M, Kitamura K, Elias PM, Feingold KR, 84
 Transcription factors, 501
 Transformed and Nontransformed Human T Lymphocytes Migrate to Skin in a Chimeric Human Skin/SCID Mouse Model, Rosenblatt-Velin N, Arrighi J-F, Dietrich P-Y, Schnuriger V, Masouyé I, Hauser C, 744
 Transforming growth factor β , 619
 Transforming growth factor β 1, 276
 Transforming Growth Factor- β Receptor Type I and Type II Expression During Murine Hair Follicle Development and Cycling, Paus R, Foitzik K, Welker P, Bulfone-Paus S, Eichmüller S, 518

- Transglutaminase-Related Antigen Associates with Keratin Filaments in Some Mouse Epidermal Cells, Clement S, Trejo-Skalli AV, Gu L, Velasco PT, Lorand L, Goldman RD, 778
 Transient bullous dermolysis of the newborn (TBDN), 811
 Trinitrobenzenesulfonic acid, 580
 TRK, 757
 Tropoelastin, 641
 TRP1/gp75, 788
 Trypsin treatment, rhino mouse, 370
 Tsk 7 L, 518
 Tumor necrosis factor α (TNF- α), 20, 25, 276
 gene polymorphism, 562
 Tumor suppressor genes, 801
 see also p53 protein
 Turnover time, epidermal, 806
 Two Gq Class G Proteins Are Expressed in Human Keratinocytes, McAlpine Rock B, Xin L, Wilcox JN, 645
 Two Pathways for Induction of Apoptosis by Ultraviolet Radiation in Cultured Human Keratinocytes, Gniadecki R, Hansen M, Wulf HC, 163
 Tyrosinase, 788
 autoantibodies, in vitiligo, 69
 genital melanocytes, 513
 mutational analysis, 207
 Tyrosinase-related proteins, 788
 L-Tyrosine, 31, 796
 Tyrosine kinase inhibitor, 751

U

- Ubiquinone, vitiligo melanocytes, 310
 Ulcers, chronic venous, 96
 Ultraviolet A (UVA) radiation
 leukocyte/endothelial cell adhesion after, 710
 psoriasis phototherapy, 170
 Ultraviolet B (UVB) radiation
 control of melanogenesis, 31
 genetic variation in response, 716
 HLA-DR⁺ cell function after, 626
 induction of apoptosis, 276, 722
 interleukin-10 and, 25
 psoriasis phototherapy, 170
 RAG-1 knockout mice, 704
 sunscreens, 395, 699
 vitamin C and, 20
 Ultraviolet (UV) radiation
 broad-spectrum sunscreens and, 146
 genetic variation in response, 716
 induction of apoptosis, 163
 mechanisms of carcinogenesis, 340
 Unoccluded Retinol Penetrates Human Skin *In Vivo* More Effectively Than Unoccluded Retinyl Palmitate or Retinoic Acid, Duell EA, Kang S, Voorhees JJ, 301
 Urocanic acid, 25, 699
 Urokinase plasminogen activator receptor, 650
 Utricle, trypsin-treated Rhino mouse, 370
 UVB Induction of Epithelial Tumors in Human Skin Using a RAG-1 Mouse Xenograft Model, Atillasoy ES, Elenitsas R, Sauter ER, Soballe PW, Herlyn M, 704

V

- Vectors, retroviral, 139
 Venous ulcers, chronic, 96
 Vesicle Formation and Follicular Root Sheath Separation in Mice Homozygous for Deleterious Alleles at the Balding (*bal*) Locus, Montagutelli X, Lalouette A, Boulouis H-J, Guénet J-L, Sundberg JP, 324
 Vitamin C, barrier lipid formation and, 348
 Vitamin C Abrogates the Deleterious Effects of UVB Radiation on Cutaneous Immunity by a Mechanism That Does Not Depend on TNF- α , Nakamura T, Pinnell SR, Darr D, Kurimoto I, Itami S, Yoshikawa K, Streilein JW, 20
 Vitamin E, vitiligo melanocytes, 310
 Vitiligo
 melanocytes, oxidative stress, 310
 tyrosinase autoantibodies, 69
 Vohwinkel's keratoderma, 604

W

Wound healing

- FGFR-1 in, 108
- fibroblast/keratinocyte interactions, 334
- IL-6-induced alkaline phosphatase activity, 597
- MMP-13 and MMP1 expression, 96
- PDGF and PDGF receptors, 132

X

X-linked genes, clonality analysis, 656

X-ray

- diffraction, small-angle, 348
- exposure, DNA repair after, 546
- microanalysis, 796

Xenografts, skin, *see* Skin xenografts

Xeroderma pigmentosum, group A, 306

XS52 Langerhans cell-like cell line, 586